

NIPPON KAIJI KYOKAI

Approval No. NKY-3569 Certificate No. TA22645E Certificate

TYPE APPROVAL

Article:

Welding Consumables for Stainless Steels

Brand:

DW-2594

Applicant:

Kobe Steel Ltd., Ibaraki Plant

2-19, Higashi-Unobe-Cho, Ibaraki, Osaka, Japan

Manufacturer:

Kobe Steel Ltd., Ibaraki Plant

2-19, Higashi-Unobe-Cho, Ibaraki, Osaka, Japan

Grade:

Manufacturer's Specification

Welding Process:

MAG Welding

Welding Positions and Max. Diameter of Wire:

See Table 1

Current:

DCEP

Shielding Gas:

 CO_2

Applicable

Grade of Parent

Material:

- 1) "KSUS329J4L and KSUS329J3L", "S32750, S32760, S31803 and S32205 specified in ASTM A240" and Equivalent Duplex Stainless Steels.
- 2) Combination of parent materials corresponding to filler material grade "C" specified in Table A. 3, API Recommended Practice 582 (2009).

Remarks:

- 1) Chemical composition and mechanical properties are to comply with the requirements specified in Table 2 and Table 3.
- 2) Test requirements for annual inspection are to comply with Table 4.

THIS IS TO CERTIFY that the above mentioned welding consumable has been approved by the NIPPON KAIJI KYOKAI in accordance with the requirements of the Society's Rules.

This Certificate will remain in force until 21 July 2023. Issued at Tokyo on 22 July 2022.

> Y. Takao General Manager

Material and Equipment Department

Note: (1) The validity of this certificate may be renewed by endorsement on the attached sheet upon completion of the annual inspections.

(2) This certificate was rewritten because of change of the applicant's address and the manufacturer's address.

Table 1 Welding Positions and Max. Diameter of Wire

Butt W		Fillet Weld		
Flat:	1.2mm	Flat:	1.2mm	
		Horizontal Vertical:	1.2mm	
Horizontal:	1.2mm	Horizontal:	1.2mm	
Overhead:	Not Applicable	Horizontal Overhead:	Not Applicable	
		Overhead:	Not Applicable	
Vertical Upward:	1.2mm	Vertical Upward:	1.2mm	
Vertical Downward:	Not Applicable	Vertical Downward:	Not Applicable	

Table 2 Chemical Composition of Deposited Metal

					THE PROPERTY					
С	Si	Mn	P	S	Ni	Cr	Mo	Cu	N	W
0.04	1.00	0.50	0.04	0.03	8.00 ~	24.0 ~	2.50	1.50	0.20 ~	1.0
max.	max.	2.00	max.	max.	10.5	27.0	4.00	max.	0.30	max.

Table 3 Mechanical Properties

Table o Mediamodi Hopernes							
Deposited Metal Test					Butt Weld Test		
Tensile Test			Impact Test Tensile Test		Impact	Impact Test	
Tensile Strength (N/mm²)	Yield point (N/mm²)	Elongation (%)	Testing temperature (°C)	Minimum mean absorbed energy (J)	Tensile Strength (N/mm²)	Testing temperature (°C)	Minimum mean absorbed energy (J)
800 min.	550 min.	15 min.	-20	40	800 min.	-20	40

Table 4 Test Requirements for Annual Inspection

	Table 1 1000 Hod all officers for Timital Hispochion						
		Test assembly 1), 2), 3),4)					
	Kind of test	Number	Plate thickness (mm)	Welding position	Kind and number of test specimens to be taken from test assembly		
.5	Deposited metal test	1.	20	Flat	Tensile test specimen ^{5), 7)} : 1 Impact test specimen ^{6), 7)} : 1 set		

Notes:

- 1) The approved applicable grade of parent material is to be applied. Other parent material with appropriate buttering may be applied subject to the approval of the Society.
- 2) Shape and dimension of test assembly are to be in accordance with Fig. M6.1, Chapter 6, Part M of the NK Rules.
- 3) Test assembly is to be welded in accordance with 6.4.5, Chapter 6, Part M of the NK Rules.
- 4) The diameter of the wire is to be within the range specified by Kobe Steel Ltd., Ibaraki Plant but not exceeding the maximum diameter approved.
- 5) Kind of test specimen is to be U1A specimen shown in Table M3.1, Chapter 3, Part M of the NK Rules.
- 6) Kind of test specimen is to be U4 specified in 3.2.4-2, Chapter 3, Part M of the NK Rules.
- 7) Mechanical properties are to comply with the requirements specified in Table 3.

Certificate No.	TA22645E
-----------------	----------

The validity of this certificate has been renewed	The validity of this certificate has been renewed
until 2 1. JUL. 2024 .	until
Date: 28. JH 123	Date:
Surveyor	Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	Surveyor