

WELDING CONSUMABLE CERTIFICATE

Certificate No.: 075277-5662900-001
Report No.: 5662900
Port of. KOBE, JAPAN
Date: 18 AUGUST 2023

THIS IS TO CERTIFY

THAT THE UNDERSIGNED SURVEYOR TO THIS BUREAU DID, AT THE REQUEST OF KOBE STEEL, LTD. IBARAKI PLANT, JAPAN, ATTEND THEIR PLANT AT IBARAKI & FUJISAWA, JAPAN, ON THE 14TH DAY OF FEBRUARY, 2023 AND ON SUBSEQUENT DATES, IN ORDER TO CARRY OUT A PLANT SURVEY OF FACILITIES AND ASSOCIATED QUALITY ASSURANCE AND QUALITY CONTROL PROCEDURES AND TO WITNESS AND REPORT ON THE ANNUAL APPROVAL TESTING OF WELDING CONSUMABLES; AND,

THAT THE FACILITY IS CONSIDERED CAPABLE OF PROVIDING AN ACCEPTABLE UNIFORM PRODUCT, AND THAT EACH WELDING CONSUMABLE LISTED BELOW WAS FOUND IN COMPLIANCE WITH THE SPECIFICATION INDICATED AND IS ELIGIBLE TO BE PLACED ON THIS BUREAU'S APPROVED WELDING CONSUMABLES LIST IN THE SHIELDED METAL ARC WELDING SECTION:

TRADE NAME	SPECIFICATION	GRADE OR CLASS	SHIELDING GAS	POSITION	CURRENT/ POLARITY	SIZE
LB-24	ABS	3Y H10		All	AC/DCEP	3.2-4.0mm
LD-24	ADS	51 1110		All	AC/DCEF	3.2-4.0IIIII
LB-52-18	ABS	3Y H10	- T	All	AC/DCEP	2.6-4.0
LB-52-18	ABS	3Y H10		F	AC/DCEP	5.0-6.0
CM-A96	AWS A5.5-96	E8016-B2	1	~	-	2.6-6.0
CM-A106	AWS A5.5-96	E9016-B3	120	52E	-	2.6-6.0
LB-62U	ABS	3YQ500 H10	2 8	F, OH, V-Up	AC/DCEP	2.6-4.0
LB-62U	ABS	3YQ500 H10	* 1	H-Fillet	AC/DCEP	2.6-4.0
LB-67L	ABS	5YQ500 H5	-	All	AC/DCEP	3.2-4.0
LB-67L	ABS	5YQ500 H5		F	AC/DCEP	5.0
LB-67L	ABS	5YQ500 H5	- N	H-Fillet	AC/DCEP	3.2-5.0
LB-70L	ABS	4YQ620 H5	7 10	All	DCEP	2.6-4.0
LB-70L	ABS	4YQ620 H5	-	F	DCEP	5.0
LB-70L	ABS	4YQ620 H5		H-Fillet	DCEP	3.2-5.0
LB-70L	ABS	4YQ620 H5	+	Н	DCEP	3.2-4.0
		.00				
LB-80L	ABS	5YQ690 H5		All	DCEP	2.6-5.0
LB-80L	ABS	5YQ690 H5	THE TANK	H-Fillet	DCEP	3.2-4.0

TO BE CONTINUED

This Certificate evidences compliance with one or more of the Rules, guides, standards or other critics of American Bureau of Shipping and is issued solely for the use of the Bureau, its committees, its clients or other authorized entities. This Certificate is a representation only hat the struce, item or ater al, equipment, machinery or any other item covered by this Certificate has met one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping of the date of issue. Parties are advised to review the Rules for the scope and conditions of classification and to review the survey records for a fuller description of any extrictions or time and the sole purpose. The validity, applicability and interpretation of this Certificate is governed by the Rules and standards of American Bureau of Shipping who shall remain the sole judge increof. Nothing contained in this Certificate or in any notation made in contemplation of this Certificate shall be deemed to relieve any designer, builder, owner, manufacturer, seller supplier, repairer, operator or other entity of any warranty express or implied.

Materials Manufacturer Approval Audits CLS-PRI-00826

Note:

Certificate No.: 075277-5662900-002

Report No.: 5662900 Port of: KOBE, JAPAN Date: 18 AUGUST 2023

TRADE NAME	SPECIFICATEION	GRADE OR CLASS	SHIELDING GAS	POSITION	CURRENT/ POLARITY	SIZE
LB-88LT LB-88LT LB-88LT	ABS ABS ABS	5YQ690 H5 5YQ690 H5 5YQ690 H5	-	F All H-Fillet	AC AC AC	3.2-5.0mm 3.2-4.0 3.2-5.0
NB-1SJ	ABS	5YQ420 H5	-	All, H-Fillet	AC/DCEP	3.2-5.0
CM-2CW	MG*	**	-	All**, H-Fillet	AC/DCEP	2.6-5.0

^{*} Characteristics on usage: Covered electrode for 2.25%Cr-Mo-W-Nb-V heat resistant steel



Note: This Certificate evidences compliance with one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping and is issued solely for the use of the Bureau, its committees, its clients or other authorized entities. This Certificate is a representation only that the structure, item of material, equipment, machinery or any other item covered by this Certificate has met one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping as of the date of issue. Parties are advised to review the Rules for the scope and conditions of classification and to review the survey records for a fuller description of any restrictions or limitation on the vessel's service or surveys. The validity, applicability and interpretation of this Certificate is governed by the Rules and standards of American Bureau of Shipping who shall remain the sole judge thereof. Nothing contained in this Certificate or in any notation made in contemplation of this Certificate shall be deemed to relieve any designer, builder, owner, manufacturer, seller, supplier, repairer, operator or other entity of any warranty express or implied.

^{**} Electrode size: F & H: 2.6-5.0 mm, V-Up & OH: 2.6-4.0 mm