



# WELDING CONSUMABLE CERTIFICATE

Certificate No.: 848327-3689475-001\_\_\_\_\_

Report No.: KO3689475\_\_\_\_\_

Port of: KOBE, JAPAN\_\_\_\_\_

Date: 23 OCTOBER 2019\_\_\_\_\_

## THIS IS TO CERTIFY

THAT THE UNDERSIGNED SURVEYOR TO THIS BUREAU DID, AT THE REQUEST OF KOBE STEEL, LTD. FUKUCHIYAMA PLANT, JAPAN, ATTEND THEIR PLANT AT FUKUCHIYAMA & FUJISAWA, JAPAN, ON THE 25TH DAY OF JUNE, 2019 AND ON SUBSEQUENT DATES, IN ORDER TO CARRY OUT A PLANT SURVEY OF FACILITIES AND ASSOCIATED QUALITY ASSURANCE AND QUALITY CONTROL PROCEDURES AND TO WITNESS AND REPORT ON THE ANNUAL APPROVAL TESTING OF WELDING CONSUMABLES; AND,

THAT THE FACILITY IS CONSIDERED CAPABLE OF PROVIDING AN ACCEPTABLE UNIFORM PRODUCT, AND THAT EACH WELDING CONSUMABLE LISTED BELOW WAS FOUND IN COMPLIANCE WITH THE SPECIFICATION INDICATED AND IS ELIGIBLE TO BE PLACED ON THIS BUREAU'S APPROVED WELDING CONSUMABLES LIST IN THE SUBMERGED ARC WELDING SECTION:

<u>TRADE NAME</u>	<u>SPECIFICATION</u>	<u>GRADE OR CLASS</u>	<u>SHIELDING GAS</u>	<u>POSITION</u>	<u>CURRENT/ POLARITY</u>	<u>SIZE</u>
US-2N/PF-H78AC	ABS	5YQ550M H5	-	F	AC	3.2 - 4.8mm
US-36/PF-H55E	ABS	3TM, 3YTM, 3Y400TM	-	F	AC/DCEP	2.0 - 6.4
US-36(X2)/PF-H55E	ABS	3YTM, 3Y400TM	-	F	AC	2.0 - 6.4
US-36(X2)/PF-I55E/RF-1	ABS	3Y*	-	F	AC/ DCEP	4.8 - 6.4
* Suitable for use with tandem one side welding						
US-36(x3)/PF-I55E/RF-1	ABS	3Y*	-	F	AC/DCEP	4.8 - 6.4
* Suitable for use with triple electrodes one side welding						
US-36/PF-I52M/ M-GRITS/FA-B1	ABS	2Y*	-	F	AC	1.6 - 6.4
*Plate thickness range= 12 to 16 mm						
US-36(X2)/PF-I52M/ M-GRITS/FA-B1	ABS	2Y*	-	F	AC	1.6 - 6.4
*Plate thickness range= 12 to 28 mm						
US-36J/PF-H55AS	ABS	5Y400 H5	-	F	DC	2.0 - 4.8
US-36J(X2)/PF-H55AS	ABS	5Y400 H5	-	F	AC/DCEP	2.0 - 4.8

TO BE CONTINUED



Note: This Certificate evidences compliance with one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping and is issued solely for the use of the Bureau, its committees, its clients or other authorized entities. This Certificate is a representation only that the structure, item of material, equipment, machinery or any other item covered by this Certificate has met one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping as of the date of issue. Parties are advised to review the Rules for the scope and conditions of classification and to review the survey records for a fuller description of any restrictions or limitation on the vessel's service or surveys. The validity, applicability and interpretation of this Certificate is governed by the Rules and standards of American Bureau of Shipping who shall remain the sole judge thereof. Nothing contained in this Certificate or in any notation made in contemplation of this Certificate shall be deemed to relieve any designer, builder, owner, manufacturer, seller, supplier, repairer, operator or other entity of any warranty express or implied.

Certificate No.: 848327-3689475-002  
 Report no.: KO3689475  
 Port of: KOBE, JAPAN  
 Date: 23 OCTOBER 2019

TRADE NAME	SPECIFICATION	GRADE OR CLASS	SHIELDING GAS	POSITION	CURRENT/ POLARITY	SIZE
US-36J/PF-H58AS	ABS	5YQ420 H5	-	F	DCEP	3.2 - 4.8mm
US-36J(X2)/PF-H58AS	ABS	5YQ420 H5	-	F	AC/DCEP	3.2 - 4.8
US-40/PF-H50LT	ABS	3T, 3YT*	-	F	AC	3.2 - 4.8
*Manufacture's guaranteed min.: CVN 34J at minus 60 Cen. Deg., Max Plate thickness 25 mm						
US-40/PF-H50LT	ABS	4Y400M H15	-	F	AC	4.0 - 4.8

  
  
 T. OKAMOTO, SURVEYOR

Note: This Certificate evidences compliance with one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping and is issued solely for the use of the Bureau, its committees, its clients or other authorized entities. This Certificate is a representation only that the structure, item of material, equipment, machinery or any other item covered by this Certificate has met one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping as of the date of issue. Parties are advised to review the Rules for the scope and conditions of classification and to review the survey records for a fuller description of any restrictions or limitation on the vessel's service or surveys. The validity, applicability and interpretation of this Certificate is governed by the Rules and standards of American Bureau of Shipping who shall remain the sole judge thereof. Nothing contained in this Certificate or in any notation made in contemplation of this Certificate shall be deemed to relieve any designer, builder, owner, manufacturer, seller, supplier, repairer, operator or other entity of any warranty express or implied.