



NIPPON KAIJI KYOKAI

Approval No. NKY-3637 Certificate No. TA231093E TYPE APPROVAL.

Article

* Welding Consumables

Brand

TG-X316L

Applicant

: Kobe Steel Ltd., Ibaraki Plant

: 2-19, Higashiunobe-cho, Ibaraki-shi, Osaka, Japan

Manufacturer

: Kobe Steel Ltd., Ibaraki Plant

2-19, Higashiunobe-cho, Ibaraki-shi, Osaka, Japan

Grade

Manufacturer's Specification

Welding Process

: TIG Welding

Welding Positions and Max. Diameter of Filler Rod: See Table 1

Current

: DCEN

Shielding Gas

: Ar

Applicable Parent Material:

Stainless Steels

Specific Grade:

- 1) KSUS316 and KSUS316L specified in Part K of the Rules and Equivalent Steels
- KSUS304 and KSUS304L specified in Part K of the Rules and Equivalent Steels

Remarks:

- Chemical composition and mechanical properties are to comply with the requirements specified in Table 2 and Table 3.
- Test requirements for annual inspection are to comply with Table 4.
- The welding consumables are to be applied only for root pass of one side butt joint / fillet joint with multi-run technique.

THIS IS TO CERTIFY that the above mentioned welding consumable has been approved by the NIPPON KAIJI KYOKAI in accordance with the requirements of the Society's Rules.

This Certificate will remain in force until 28 September 2024. Issued at Tokyo on 29 September 2023.

Y. Takao

General Manager

Material and Equipment Department

Note: The validity of this certificate may be renewed by endorsement on the attached sheet upon completion of the annual inspections.

Table 1 Welding Positions and Max. Diameter of Filler Rod

Butt W		Fillet We	
Flat:	2.2mm	Flat:	2.2mm
		Horizontal Vertical:	2.2mm
Horizontal:	2.2mm	Horizontal:	2.2mm
Overhead:	2.2mm	Horizontal Overhead:	2.2mm
		Overhead:	2.2mm
Vertical Upward:	2.2mm	Vertical Upward:	2.2mm
Vertical Downward:	Not Applicable	Vertical Downward:	Not Applicable

Table 2 Chemical Composition of Deposited Metal

	1000	10 = 011	OHIHOUH CO	DILIPOSITO	II of Doposi	ou mount	
С	Si	Mn	P	S	Ni	Cr	Mo
0.04	1.0	0.5	0.04	0.03	11.0	17.0	2.0
		~			~	~	~
max.	max.	2.5	max.	max.	14.0	20.0	3.0

Table 3 Mechanical Properties

		Ollania L LOI	020200
Deposited Metal Test			Butt Weld Test
Tensile Test		Tensile test	
Tensile	Yield	Elongation	Tensile
strength	point	(%)	strength
(N/mm^2)	(N/mm^2)	(70)	(N/mm ²)
520min	205 min.	30 min.	480 min.

Table 4 Test Requirements for Annual Inspection

Kind of	Т	est assembly 1), 2), 8	3), 4)	Kind and number of test specimens to be taken from test assembly
test	Number	Plate thickness (mm)	Welding position	Tensile test specimen ^{5),6)} : 1
Deposited metal test	1	12 ~ 19	Flat	Tensue test specimen 1

Notes:

- 1) The approved specific grade of applicable parent material is to be applied. Other parent material with appropriate buttering may be applied subject to the approval of the Society.
- 2) Shape and dimension of test assembly are to be in accordance with Fig. M6.16, Chapter 6, Part M of the NK Rules.
- 3) Test assembly is to be welded in accordance with 6.7.5, Chapter 6, Part M of the NK Rules.
- 4) The diameter of the wire is to be within the range specified by Kobe Steel Ltd., Ibaraki Plant but not exceeding the maximum diameter approved.
- 5) Kind of test specimen is to be U1B specified in Table M3.1, Chapter 3, Part M of the NK Rules.
- 6) Mechanical properties are to comply with the requirements specified in Table 3.

Certificate No. TA231093E

The validity of this certificate has been renewed	The validity of this certificate has been renewed
until 2 8. SEP, 2025	until
Date: 29. Jul. 2024 Surveyor	Date: Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until 28. SEP. 2026 .	until
Date: 28 Junio Surveyor Surveyor	Date: Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Date:Surveyor	Date:Surveyor
Surveyor	Surveyor
Surveyor The validity of this certificate has been renewed	Surveyor The validity of this certificate has been renewed
Surveyor The validity of this certificate has been renewed until	The validity of this certificate has been renewed until
Surveyor The validity of this certificate has been renewed until Date:	The validity of this certificate has been renewed until Date:
The validity of this certificate has been renewed until	The validity of this certificate has been renewed until
Surveyor The validity of this certificate has been renewed until Date: Surveyor The validity of this certificate has been renewed	The validity of this certificate has been renewed until Date: Surveyor The validity of this certificate has been renewed