

## NIPPON KAIJI KYOKAI

Approval No. NKY-1213 Certificate No. TA17505E



## TYPE APPROVAL FOR WELDING CONSUMABLE

Brand:

 $US-43(\times 2) / PF-I52 / RR-2 / FA-B1$ 

branu.

[Wire / Flux / Metal Powder / Backing Flux]

Applicant:

Kobe Steel Ltd., Fukuchiyama Plant

Manufacturer:

Kobe Steel Ltd., Fukuchiyama Plant

Fukuchiyama, Kyoto, Japan

Fukuchiyama, Kyoto, Japan

Grade:

KAW52SP

Welding Process:

Submerged Arc One-Side Welding

Welding Positions and Max. Diameter of Wire:

See Table 1

Current:

AC

Shielding Gas:

Not Applicable

Applicable Parent Material:

High Tensile Steels for Hull

Table 1 Welding Positions and Max. Diameter of Wire

Butt Weld		Fillet Weld	
Flat:	7.9mm	Flat:	Not Applicable
		Horizontal Vertical:	Not Applicable
Horizontal:	Not Applicable	Horizontal:	Not Applicable
Overhead:	Not Applicable	Horizontal Overhead:	Not Applicable
		Overhead:	Not Applicable
Vertical Upward:	Not Applicable	Vertical Upward:	Not Applicable
Vertical Downward:	Not Applicable	Vertical Downward:	Not Applicable

THIS IS TO CERTIFY that the above mentioned welding consumable has been approved by the NIPPON KAIJI KYOKAI in accordance with the requirements of the Society's Rules.

This Certificate will remain in force until 24 March 2018. Issued at Tokyo on 29 March 2017.

H. Kobayashi

General Manager Material and Equipment Department

Note: The validity of this certificate may be renewed by endorsement on the attached sheet upon completion of the annual inspections.

Note: This certificate was rewritten because of change of grade of welding consumable.

until 24. MAR. 2024 .	
Date: 28. No. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	
The validity of this certificate has been renewed	
until 24. MAR. 2025	
Date: 2 9 MAR 2024  Surveyor	
The validity of this certificate has been renewed	
until 2 4. MAR. 2026 .	
Date: 26, MAR. 2025	
The validity of this certificate has been renewed	
until	
Date:Surveyor	
The validity of this certificate has been renewed	
until	
Date:Surveyor	